

Ordering information

Customer	Ord	der No					
Equipment box left	Position No.	Туре	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Desti- nation	Notes
	1						
(3 - 4)	2						
	•						
	3						
	4						
	5						
3 10 15 20	6						
4 11 6 21	0						
5 0 0 2	7						
	8						
6 3 8 8	9						
7 14 19 24							
	10						
	11						
	12						
Maximum installation of	13						
command and indicating	14						
devices 22 (look 1/360) in our control units and housings	15						
if our multi-axis controllers	40						
V 62 (look 1/100) are used. Additional command and	16						
indicating devices can be	17						
installed if multi-axis controllers	18						
V 64 or V 11 (look 1/110) are used.	10						
(please enquire)	19						
	20						
	21						
	22						
	<i></i>						
	23						
	24						
Control unit (look 2/020)							No. of
Type KST 2/3 KST 41/181 KST 42/182 KST 51/151 KST 52/54/152/154 KST 6	1 - 5, 10 - 1 - 5, 8 - 7 3 - 7, 10 - 1 - 24 3 - 4, 10 -	13, 15 - 18 · 12 12, 15 - 17 · 14, 15 - 19, · 11, 15 - 16	20 - 24				16 8 13 20 24 6
KST 7 KST 75	1 - 24 1 - 19						24 19



Ordering information

Position No.	Type	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Desti- nation	Notes	Equipment box right
25							
26							7 - 8
_0							
27							6
28							32 25
							33 26
29							(4) (3) (3) (2)
30							
31							45 40 35 28
31							46 41 36 29
32							47 42 37 30
33							
							48 43 38 31
34							
35							
36							
37							
20							Maximum installation of command and indicating
38							devices 22 (look 1/360) in our
39							control units and housings
40							if our multi-axis controllers
+0							V 62 (look 1/100) are used. Additional command and
41							indicating devices can be
42							installed if multi-axis controlle
_							V 64 or V 11 (look 1/110)
43							are used. (please enquire)
44							(piease enquire)
45							
46							
47							
47							
48							
						No. of	Control unit (look 2/020)
25 - 30, 32	- 37, 39 - 42					pieces max.	Type KST 2/3
25 - 29, 34	- 36					8	KST 41/181
	- 36, 39 - 41 - 38, 39 - 43					13 20	KST 42/182 KST 51/151
25 - 48	- 35, 39 - 40					24	KST 52/54/152/154
27 - 28, 34 25 - 48	- აა, აყ - 40					6 24	KST 6 KST 7



Ordering information KST 8, 85

Customer		Ord	er No					
Equipment box left		Position No.	Туре	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Desti- nation	Notes
	•	1						
1 3 5	Max. 6 pcs. installation of command and indicating devices 22 (look 1/360) or 1 pcs. monitoring device 72 x 72 mm	2						
2 4 6		3						
		4 5						
(3 - 4)	Multi-axis controller V 64 (look 1/100) or	6						
2	V 11 (look 1/110)	7						
		8						
7 8 9	Max. 3 pcs. installation of	9						
	command and indicating devices 22 (look 1/360)	10						
	Place to put on devices	11						
	l	12						
Equipment box rigl	nt							
		13						
	Max. 6 pcs.	14						
13 (5) (7) 14 (6) (8)	installation of command and indicating devices	15						
	22 (look 1/360) or 1 pcs. monitoring device 72 x 72 mm	16						
7 4 8	Multi-axis controller V 64 (look 1/100)	17						
6	or V 11 (look 1/110)	18 19						
		20						
	Max. 3 pcs. installation of	21						
19 20 21	command and indicating devices 22 (look 1/360) Place to put on	22						
		23						
	devices	24						



Ordering information KST 9

Customer	Order No							
Equipment box left	Position Nr.	Туре	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Desti- nation	Notes	
/	1							
3 6	2							
1 4 7	3							
2 5 8	4							
	5							
$(3 \leftarrow 1 \rightarrow 4)$	6							
2	7							
9 19	8							
10 16	9							
0 0 0 2 2 2	10							
@ @ @ @ @	11							
13 19 23 27 31	12							
	13							
(4) (20) (24) (28) (29)	14							
Place to put on devices								
(telephon etc.)	15							
	16							
	17							
Maximum installation of	18							
command and indicating	19							
devices 22 (look 1/360) if our	20							
multiaxis controllers V 62 (look 1/100) are used.	21							
Additional command and	22							
indicating devices can be installed if multi-axis controller	23							
V 64 or V 11 (look 1/110)	24							
are used. (please enquire)	25							
Pos. 1-8 alternative	26							
max. 2 pcs. monitoring	27							
devices 72 x 72 mm	28							
	29							
	30							
	31							
	32							



Ordering information KST 9

Customer_			Order No.				
Position Nr.	Туре	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Desti- nation	Notes	Equipment box right
35							\
36							40 37
37							41 38 35
							I \
38							42 39 36
39							5
40							7 🔷 🕨 8
41							6
42							49 43
43							<u> </u>
44							63 69 65 61 45
45							64 60 56 62 46
46							69 61 57 63 47
47							66 62 58 54 48
48							Place to put on devices
49							(telephon etc.)
50							
51							
52							
							Maximum installation of
53							command and indicating
54							devices 22 (look 1/360) if our multiaxis controllers V 62
55							(look 1/100) are used.
56							Additional command and
57							indicating devices can be installed if multi-axis controller
58							V 64 or V 11 (look 1/110)
59							are used. (please enquire)
							(produce criquite)
60							Pos. 35-42 alternative
61							max. 2 pcs. monitoring devices 72 x 72 mm
62							
63							
64							
65							
66							



Ordering information KST 10

Customer		Ord	ler No					
Equipment box left		Position No.	Туре	Colour	Label text (max. 2 x 12 characters)	Plant ref.	Desti- nation	Notes
		1						
	Max. 3 pcs.	2						
1 2 3	installation of command and	3						
	indicating devices 22 (look 1/360)	4						
		5						
(3 - 4)	Multi-axis controller V 11 (look 1/110)	6						
2	or V 8 (look 1/130)	7						
		8						
4 6 6	Max. 3 pcs. installation of command and	9						
	indicating devices 22 (look 1/360)							
Equipment box righ	nt							
		10						
	Max. 3 pcs.	11						
100 101 102	installation of command and	12						
	indicating devices 22 (look 1/360)	13						
		14						
7 - 8	Multi-axis controller V 11 (look 1/110)	15						
6	or V 8 (look 1/130)	16						
		17						
(3) (4) (5)	Max. 3 pcs. installation of	18						
	command and indicating devices 22 (look 1/360)							